

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 (currently amended): An imaging element comprising a support, an imaging layer, and at least one layer comprising a clay nanocomposite wherein said nanocomposite comprises a hydrophilic organic splayant and at least one natural clay particle splayed by said splayant having an aspect ratio of from 100:1 to 400:1, wherein said natural clay particle has a length greater than 0 and less than or equal to 700 nm (0.7 μ m), and wherein said organic splayant comprises gelatin.

2 (original): The imaging element of claim 1, wherein said at least one layer comprises an outermost layer.

3 (original): The imaging element of Claim 2 wherein said at least one outermost layer comprises a protective overcoat layer.

4 (original): The imaging element of Claim 1 wherein said imaging layer is between said support and said at least one layer.

5 (original): The imaging element of Claim 1 wherein said at least one layer is on the side opposite the imaging layer and the thickness of the said layer is from 8 to 50 microns.

6 (canceled):

7 (canceled):

8 (canceled):

9 (original): The imaging element of Claim 1 wherein said natural clay particle is intercalated by said splayant.

10 (original): The imaging element of Claim 1 wherein said natural clay particle is exfoliated by said splayant.

11 (original): The imaging element of Claim 1 wherein said natural clay particle comprises montmorillonite.

12 (canceled):

13 (original): The imaging element of claim 1 wherein said natural clay particle comprises from 2 to 20 percent weight percent of said at least one layer.

14 (original): The imaging element of Claim 1 wherein said natural clay particle comprises from 2 to 10 parts by weight of said at least one layer.

15 (canceled):

16 (original): The imaging element of Claim 1 wherein said imaging element comprises a photographic imaging element.

17 (original): The imaging element of Claim 1 wherein said imaging element comprises a thermophotographic imaging element.

18 (original): The imaging element of claim 1, wherein said support is selected from the group consisting of cellulose nitrate films, cellulose acetate films, poly(vinyl acetal) films, polystyrene films, poly(ethylene terephthalate) films, poly(ethylene naphthalate) films, polycarbonate films, glass, metals, papers and polymer-coated paper.

19 (original): The imaging element of claim 1 wherein said at least one layer further comprises crosslinking agents, surfactants, thickeners, coalescing aids, particle dyes, matte beads and lubricants.

20 (original): The imaging element of claim 1 wherein said at least one layer has a dry weight coverage of from 10 mg/m^2 to $10,000 \text{ mg/m}^2$.

21 (original): The imaging element of claim 1 wherein said at least one layer has a dry weight coverage of from 200 to 2000 mg/m^2 .

22 (previously presented): The imaging element of claim 1 wherein the Young's modulus of said support is enhanced by at least 10%.

23 (original): The imaging element of claim 1 wherein the Young's modulus of said support is enhanced by at least 20%.